## MICROTECHNOLOGY MICRODUCTS LSZH

- LSZH: Low Smoke Zero Halogen
- MicroDucts are small, 5mm 27mm in diameter
- Very low smoke generation for better visibility
- No halogens, safer to use in confined spaces
- 150 PSI maximum installation pressure
- Compatible with standard micro couplers and accessories
- Ships on small, easy to handle reels

INSTALLATION TYPES Confined Spaces Interior	SIZE RANGE AVAILABLE (OD/ID MM)			
	5/3.5 8.5/6 12.7/10 16/13	18/14 22/16 27/20		

## STANDARD

FEATURES

**SPECIFICATIONS/DETAILS** Low Smoke Zero Halogen is verified by the NRTL (Intertek) to ETL standards UL1685-4 and IEC 60754-1, exhibit excellent properties such as low flame propagation, low smoke generation, zero halogen emissions, and excellent low temperature mechanical properties. ETL VERIFIED UL1685-4 and IEC 60754-1. 12.7 mm – 27 mm meet IEEE-1202 and NFPA-130 requirements

**FILL RATIO** Choose the correct MicroDuct size based on the Outer Diameter (OD) of desired MicroCable. Dura-Line recommends a fill ratio of 50% to 75% for optimal cable placement performance. Several factors impact jetting distance including the condition of route, bends, and equipment.

**CONDUIT MARKINGS** Permanent marking along MicroDuct includes: material, relevant standards, production info, and sequential feet or meter markings. Custom options available.

**CO-EXTRUDED LINING** No special inner lining

**INTERNAL RIBS** Unavailable on Low Smoke Zero Halogen products




+1 800 847 7661 WWW.DURALINE.COM








## MICRODUCTS LSZH TECHNICAL SPECIFICATIONS





MICRODUCT SIZE (MM)	NOM OD (MM/IN)	MIN ID (MM/IN)	WEIGHT (LB/FT)	BEND RADIUS SUP (IN)	BEND RADIUS UNSUP (IN)	SWPS (LBS)
5/3.5	5/0.20	3.4/0.13	0.007	2	4	27
8.5/6	8.5/0.34	5.9/0.23	0.021	3	7	77
12.7/10	12.7/0.50	9.8/0.39	0.037	5	10	134
16/13	16/0.63	12.8/0.50	0.050	6	13	183
18/14	18/0.71	13.3/0.52	0.075	7	14	281
22/16	22/0.87	16/0.63	0.121	9	17	452
27/20	26.7/1.05	20.7/0.81	0.150	11	21	561

+ Safe working pull strength is calculated at 80% of tensile or breaking strength
\* Unsupported Bend Radius guidelines should be followed during the installation process. The Supported Bend Radius are post-installation measurements.



+1 800 847 7661 WWW.DURALINE.COM



